



# 710-321 Composite Split "+" Junction Fitting for Series 72 and 74 Convuluted Tubing



**710-321 XM 03\*04\*05\*06**



Note: When all ends are identical, insert only one dash no. When multiple dash numbers are ordered, transition size will be determined by the largest. Adapter may be supplied on smaller entries. Letter to follow entry will be supplied with adapters.



**Table I**

| Dash No. | A Thread Unified | B Dia        | C Max        | Weight in Pounds Max. |
|----------|------------------|--------------|--------------|-----------------------|
| 01       | .750 - 20        | .500 (12.7)  | 2.375 (60.3) | .109                  |
| 02       | 1.000 - 20       | .750 (19.1)  | 2.625 (66.7) | .152                  |
| 03       | 1.312 - 18       | 1.000 (25.4) | 2.875 (73.0) | .213                  |
| 04       | 1.500 - 18       | 1.250 (31.8) | 3.125 (79.4) | .254                  |
| 05       | 2.000 - 18       | 1.625 (41.3) | 3.500 (88.9) | .364                  |
| 06       | .500 - 20        | .281 (7.1)   | 2.125 (54.0) | .041                  |
| 07       | .625 - 24        | .375 (9.5)   | 2.250 (57.2) | .057                  |

**Table II**

|    |  |
|----|--|
| XM | Electroless Nickel                         |
| XW | Cadmium Olive Drab Over Electroless Nickel |
| XB | No Plating - Black Material                |
| XO | No Plating - Base Material Non-conductive  |

1. Metric dimensions (mm) are in parentheses and are for reference only.
2. Consult factory for availability.